







## Solid carbide mills

### INDEX 300...



D1	D2	L2	L1	Z	Article-No.
2	4	5	50	4	300.020.0000
3	4	8	50	4	300.030.0000
4	4	10	50	4	300.040.0000
2	6	5	50	4	300.020D.0000
3	6	8	50	4	300.030D.0000
4	6	10	50	4	300.040D.0000
5	6	12.5	50	4	300.050.0000
6	6	15	50	4	300.060.0000
8	8	20	60	4	300.080.0000
10	10	30	75	4	300.100.0000
12	12	30	75	4	300.120.0000
16	16	45	100	4	300.160.0000
20	20	50	100	4	300.200.0000

### INDEX 301...




D1	D2	L2	L1	Z	Article-No.
1	4	2.5	50	4	301.010.0000
1.5	4	4	50	4	301.015.0000
2	4	5	50	4	301.020.0000
2.5	4	6.5	50	4	301.025.0000
3	4	7.5	50	4	301.030.0000
4	4	10	50	4	301.040.0000
2	6	5	50	4	301.020D.0000
3	6	7.5	50	4	301.030D.0000
4	6	10	50	4	301.040D.0000
5	6	13	50	4	301.050.0000
6	6	15	50	4	301.060.0000
8	8	20	60	4	301.080.0000
10	10	30	75	4	301.100.0000
12	12	32	75	4	301.120.0000
16	16	45	100	4	301.160.0000
20	20	50	100	4	301.200.0000



## Solid carbide mills

### INDEX 302...




D1	D2	R	L2	L1	Z	Article-No.
3	4	0.2	7.5	50	4	302.030.R020
3	4	0.5	7.5	50	4	302.030.R050
4	4	0.2	10	50	4	302.040.R020
4	4	0.5	10	50	4	302.040.R050
4	4	1.0	10	50	4	302.040.R100
6	6	0.5	15	50	4	302.060.R050
6	6	1.0	15	50	4	302.060.R100
6	6	2.0	15	50	4	302.060.R200
8	8	0.5	20	60	4	302.080.R050
8	8	1.0	20	60	4	302.080.R100
8	8	1.5	20	60	4	302.080.R150
8	8	2.0	20	60	4	302.080.R200
10	10	0.5	30	75	4	302.100.R050
10	10	1.0	30	75	4	302.100.R100
10	10	1.5	30	75	4	302.100.R150
10	10	2.0	30	75	4	302.100.R200
10	10	3.0	30	75	4	302.100.R300
12	12	0.5	32	75	4	302.120.R050
12	12	1.0	32	75	4	302.120.R100
12	12	1.5	32	75	4	302.120.R150
12	12	2.0	32	75	4	302.120.R200
12	12	3.0	32	75	4	302.120.R300
16	16	0.5	45	100	4	302.160.R050
16	16	1.0	45	100	4	302.160.R100
16	16	1.5	45	100	4	302.160.R150
16	16	2.0	45	100	4	302.160.R200
16	16	3.0	45	100	4	302.160.R300
20	20	0.5	50	100	4	302.200.R050
20	20	1.0	50	100	4	302.200.R100
20	20	1.5	50	100	4	302.200.R150
20	20	2.0	50	100	4	302.200.R200
20	20	3.0	50	100	4	302.200.R300





## Solid carbide mills

### INDEX 303...




D1	D2	R	L2	L1	Z	Article-No.
1	4	0.5	2	50	2	303.010.R050
1.2	4	0.6	2.4	50	2	303.012.R060
1.5	4	0.75	3	50	2	303.015.R075
2	4	1.0	4	50	2	303.020.R100
2.5	4	1.25	5	50	2	303.025.R125
3	4	1.5	6	50	2	303.030.R150
3.5	4	1.75	7	50	2	303.035.R175
4	4	2.0	8	50	2	303.040.R200
2	6	1.0	4	50	2	303.020D.R100
2.5	6	1.25	5	50	2	303.025D.R125
3	6	1.5	6	50	2	303.030D.R150
4	6	2.0	8	50	2	303.040D.R200
5	6	2.5	10	50	2	303.050.R250
5.5	6	2.75	11	50	2	303.055.R275
6	6	3.0	12	50	2	303.060.R300
7	8	3.5	14	60	2	303.070.R350
8	8	4.0	16	60	2	303.080.R400
9	10	4.5	18	75	2	303.090.R450
10	10	5.0	20	75	2	303.100.R500
12	12	6.0	24	75	2	303.120.R600
16	16	8.0	32	100	2	303.160.R800




## Solid carbide mills

### INDEX 304...




D1	D2	R	L2	L1	Z	Article-No.
4	4	0.2	10	50	4	304.040.R020
4	4	0.5	10	50	4	304.040.R050
4	4	1.0	10	50	4	304.040.R100
6	6	0.5	15	50	4	304.060.R050
6	6	1.0	15	50	4	304.060.R100
6	6	2.0	15	50	4	304.060.R200
8	8	0.5	20	60	4	304.080.R050
8	8	1.0	20	60	4	304.080.R100
8	8	1.5	20	60	4	304.080.R150
8	8	2.0	20	60	4	304.080.R200
10	10	0.5	30	75	4	304.100.R050
10	10	1.0	30	75	4	304.100.R100
10	10	1.5	30	75	4	304.100.R150
10	10	2.0	30	75	4	304.100.R200
10	10	3.0	30	75	4	304.100.R300
12	12	0.5	32	75	4	304.120.R050
12	12	1.0	32	75	4	304.120.R100
12	12	1.5	32	75	4	304.120.R150
12	12	2.0	32	75	4	304.120.R200
12	12	3.0	32	75	4	304.120.R300
16	16	0.5	45	100	4	304.160.R050
16	16	1.0	45	100	4	304.160.R100
16	16	1.5	45	100	4	304.160.R150
16	16	2.0	45	100	4	304.160.R200
16	16	3.0	45	100	4	304.160.R300
20	20	0.5	50	100	4	304.200.R050
20	20	1.0	50	100	4	304.200.R100
20	20	1.5	50	100	4	304.200.R150
20	20	2.0	50	100	4	304.200.R200
20	20	3.0	50	100	4	304.200.R300






## Solid carbide mills


### INDEX 305...



D1	D2	C	L2	L1	Z	Article-No.
3	4	0.1	6	50	4	305.030.C010
4	4	0.15	8	50	4	305.040.C015
3	6	0.1	6	50	4	305.030D.C010
4	6	0.15	8	50	4	305.040D.C015
5	6	0.15	10	50	4	305.050.C015
6	6	0.2	12	50	4	305.060.C020
8	8	0.2	16	60	4	305.080.C020
10	10	0.3	20	75	4	305.100.C030
12	12	0.35	24	75	4	305.120.C035
16	16	0.4	32	100	4	305.160.C040
20	20	0.5	40	100	4	305.200.C050



### INDEX 306...




D1	D2	L2	L1	Z	Article-No.
3	4	8	50	5	306.030.0000
4	4	10	50	5	306.040.0000
3	6	8	50	5	306.030D.0000
4	6	10	50	5	306.040D.0000
5	6	13	50	5	306.050.0000
6	6	15	50	5	306.060.0000
8	8	20	60	5	306.080.0000
10	10	30	75	5	306.100.0000
12	12	32	75	5	306.120.0000
16	16	45	100	5	306.160.0000
20	20	50	100	5	306.200.0000



## Solid carbide mills

### INDEX 307...




D1	D2	R	L2	L1	Z	Article-No.
4	4	0.2	10	50	5	307.040.R020
4	4	0.5	10	50	5	307.040.R050
4	4	1.0	10	50	5	307.040.R100
4	6	0.2	10	50	5	307.040D.R020
4	6	0.5	10	50	5	307.040D.R050
4	6	1.0	10	50	5	307.040D.R100
6	6	0.5	15	50	5	307.060.R050
6	6	1.0	15	50	5	307.060.R100
6	6	2.0	15	50	5	307.060.R200
8	8	0.5	20	60	5	307.080.R050
8	8	1.0	20	60	5	307.080.R100
8	8	1.5	20	60	5	307.080.R150
8	8	2.0	20	60	5	307.080.R200
10	10	0.5	30	75	5	307.100.R050
10	10	1.0	30	75	5	307.100.R100
10	10	1.5	30	75	5	307.100.R150
10	10	2.0	30	75	5	307.100.R200
10	10	3.0	30	75	5	307.100.R300
12	12	0.5	32	75	5	307.120.R050
12	12	1.0	32	75	5	307.120.R100
12	12	1.5	32	75	5	307.120.R150
12	12	2.0	32	75	5	307.120.R200
12	12	3.0	32	75	5	307.120.R300
16	16	0.5	40	100	5	307.160.R050
16	16	1.0	40	100	5	307.160.R100
16	16	1.5	40	100	5	307.160.R150
16	16	2.0	40	100	5	307.160.R200
16	16	3.0	40	100	5	307.160.R300
20	20	0.5	50	100	5	307.200.R050
20	20	1.0	50	100	5	307.200.R100
20	20	1.5	50	100	5	307.200.R150
20	20	2.0	50	100	5	307.200.R200
20	20	3.0	50	100	5	307.200.R300





## Solid carbide mills


### INDEX 308...



D1	D2	L2	L1	Z	Article-No.
1	4	3	50	4	308.010.0000
1.5	4	4	50	4	308.015.0000
2	4	5	50	4	308.020.0000
3	4	8	50	4	308.030.0000
4	4	10	50	4	308.040.0000
6	6	15	50	4	308.060.0000
8	8	20	60	4	308.080.0000
10	10	30	75	4	308.100.0000
12	12	32	75	4	308.120.0000
16	16	40	100	4	308.160.0000
20	20	45	100	4	308.200.0000



### INDEX 309...




D1	D2	R	L2	L1	Z	Article-No.
4	4	0.5	10	50	4	309.040.R050
4	4	1.0	10	50	4	309.040.R100
6	6	0.5	15	50	4	309.060.R050
6	6	1.0	15	50	4	309.060.R100
8	8	0.5	20	60	4	309.080.R050
8	8	1.0	20	60	4	309.080.R100
10	10	0.5	25	75	4	309.100.R050
10	10	1.0	25	75	4	309.100.R100
12	12	0.5	30	75	4	309.120.R050
12	12	1.0	30	75	4	309.120.R100




## Solid carbide mills


### INDEX 310...




D1	D2	L2	L1	Z	Article-No.
2	4	5	50	4	310.020.0000
3	4	8	50	4	310.030.0000
4	4	10	50	4	310.040.0000
5	6	13	50	4	310.050.0000
6	6	15	50	4	310.060.0000
8	8	20	60	4	310.080.0000
10	10	30	75	4	310.100.0000
12	12	32	75	4	310.120.0000
16	16	45	100	4	310.160.0000
20	20	50	100	4	310.200.0000



### INDEX 311...




D1	D2	L2	L1	Z	Article-No.
2	4	5	50	4	311.020.0000
3	4	8	50	4	311.030.0000
4	4	10	50	4	311.040.0000
2	6	5	50	4	311.020D.0000
3	6	8	50	4	311.030D.0000
4	6	10	50	4	311.040D.0000
5	6	13	50	4	311.050.0000
6	6	15	50	4	311.060.0000
8	8	20	60	4	311.080.0000
10	10	30	75	4	311.100.0000
12	12	32	75	4	311.120.0000
16	16	45	100	4	311.160.0000
20	20	50	100	4	311.200.0000






## Solid carbide mills


### INDEX 312...




D1	D2	L2	L1	Z	Article-No.
1	4	2.5	50	4	312.010.0000
1.5	4	4	50	4	312.015.0000
2	4	5	50	4	312.020.0000
2.5	4	6.5	50	4	312.025.0000
3	4	8	50	4	312.030.0000
4	4	10	50	4	312.040.0000
5	6	12.5	50	4	312.050.0000
6	6	15	50	4	312.060.0000
8	8	20	60	4	312.080.0000
10	10	25	75	4	312.100.0000
12	12	30	75	4	312.120.0000
16	16	45	100	4	312.160.0000



### INDEX 313...




D1	D2	R	L2	L1	Z	Article-No.
1	4	0.2	2.5	50	4	313.010.R020
1	4	0.3	2.5	50	4	313.010.R030
1.5	4	0.2	3.75	50	4	313.015.R020
1.5	4	0.3	3.75	50	4	313.015.R030
2	4	0.2	5	50	4	313.020.R020
2	4	0.3	5	50	4	313.020.R030
2	4	0.5	5	50	4	313.020.R050
3	4	0.2	6	50	4	313.030.R020
3	4	0.3	6	50	4	313.030.R030
3	4	0.5	6	50	4	313.030.R050



## Solid carbide mills

### INDEX 313...


D1	D2	R	L2	L1	Z	Article-No.
3	4	1.0	6	50	4	313.030.R100
3	6	0.2	6	50	4	313.030D.R020
3	6	0.3	6	50	4	313.030D.R030
3	6	0.5	6	50	4	313.030D.R050
3	6	1.0	6	50	4	313.030D.R100
4	4	0.2	8	50	4	313.040.R020
4	4	0.3	8	50	4	313.040.R030
4	4	0.5	8	50	4	313.040.R050
4	4	1.0	8	50	4	313.040.R100
4	6	0.2	8	50	4	313.040D.R020
4	6	0.3	8	50	4	313.040D.R030
4	6	0.5	8	50	4	313.040D.R050
4	6	1.0	8	50	4	313.040D.R100
5	6	0.2	10	50	4	313.050.R020
5	6	0.5	10	50	4	313.050.R050
5	6	1.0	10	50	4	313.050.R100
6	6	0.2	12	50	4	313.060.R020
6	6	0.3	12	50	4	313.060.R030
6	6	0.5	12	50	4	313.060.R050
6	6	1.0	12	50	4	313.060.R100
8	8	0.3	16	60	4	313.080.R030
8	8	0.5	16	60	4	313.080.R050
8	8	1.0	16	60	4	313.080.R100
10	10	0.3	20	75	4	313.100.R030
10	10	0.5	20	75	4	313.100.R050
10	10	1.0	20	75	4	313.100.R100
10	10	1.5	20	75	4	313.100.R150
10	10	2.0	20	75	4	313.100.R200
12	12	0.3	24	75	4	313.120.R030
12	12	0.5	24	75	4	313.120.R050
12	12	1.0	24	75	4	313.120.R100
12	12	1.5	24	75	4	313.120.R150
12	12	2.0	24	75	4	313.120.R200






## Solid carbide mills


### INDEX 331...



D1	D2	L2	L1	Z	Article-No.
4	4	10	75	4	331.040.0000
6	6	15	75	4	331.060.0000
8	8	20	100	4	331.080.0000
10	10	25	100	4	331.100.0000
12	12	30	100	4	331.120.0000
16	16	45	150	4	331.160.0000



### INDEX 332...




D1	D2	R	L2	L1	Z	Article-No.
4	6	0.5	8	75	4	332.040.R050
5	6	0.5	10	75	4	332.050.R050
6	6	0.2	12	75	4	332.060.R020
6	6	0.5	12	75	4	332.060.R050
6	6	1.0	12	75	4	332.060.R100
8	8	0.5	16	75	4	332.080.R050
8	8	0.5	16	100	4	332.080L.R050
8	8	1.0	16	75	4	332.080.R100
8	8	1.0	16	100	4	332.080L.R100
10	10	0.3	20	100	4	332.100.R030
10	10	0.5	20	100	4	332.100.R050
10	10	1.0	20	100	4	332.100.R100
10	10	1.5	20	100	4	332.100.R150
10	10	2.0	20	100	4	332.100.R200
12	12	0.3	24	100	4	332.120.R030
12	12	0.5	24	100	4	332.120.R050
12	12	1.0	24	100	4	332.120.R100
12	12	1.5	24	100	4	332.120.R150
12	12	2.0	24	100	4	343.120.R200



## Solid carbide mills


### INDEX 340...



D1	D2	L2	L1	Z	Article-No.
4	4	10	50	6	340.040.0000
6	6	15	50	6	340.060.0000
8	8	20	60	6	340.080.0000
10	10	25	75	6	340.100.0000
12	12	30	75	6	340.120.0000
16	16	45	100	6	340.160.0000



### INDEX 341...




D1	D2	R	L2	L1	Z	Article-No.
4	4	0.2	10	50	6	341.040.R020
4	4	0.5	10	50	6	341.040.R050
4	4	1.0	10	50	6	341.040.R100
6	6	0.5	15	50	6	341.060.R050
6	6	1.0	15	50	6	341.060.R100
8	8	0.5	20	60	6	341.080.R050
8	8	1.0	20	60	6	341.080.R100
10	10	0.5	25	75	6	341.100.R050
10	10	1.0	25	75	6	341.100.R100
12	12	0.5	30	75	6	341.120.R050
12	12	1.0	30	75	6	341.120.R100





## Solid carbide mills


### INDEX 342...



D1	D2	L2	L1	Z	Article-No.
3	6	8	57	6	342.030.0000
4	6	11	57	6	342.040.0000
5	6	13	57	6	342.050.0000
6	6	13	57	6	342.060.0000
8	8	19	63	6	342.080.0000
10	10	22	72	6	342.100.0000
12	12	26	83	6	342.120.0000
16	16	32	92	8	342.160.0000
20	20	38	104	8	342.200.0000



### INDEX 343...




D1	D2	L2	L1	Z	Article-No.
6	6	18	57	6	343.060.0000
8	8	24	63	6	343.080.0000
10	10	30	75	6	343.100.0000
12	12	36	83	6	343.120.0000
12	12	36	150	6	343.120L.0000
16	16	48	104	8	343.160.0000
16	16	65	150	8	343.160L.0000
20	20	55	110	8	343.200.0000
20	20	65	150	8	343.200L.0000




## Solid carbide mills

### INDEX 344...




D1	D2	L2	L1	ER	Z	Article-No.
6	6	13	57	0.5	6	344.060.R050
6	6	13	57	1.0	6	344.060.R100
8	8	19	63	0.5	6	344.080.R050
8	8	19	63	1.0	6	344.080.R100
10	10	22	72	0.5	6	344.100.R050
10	10	22	72	1.0	6	344.100.R100
12	12	26	83	0.5	6	344.120.R050
12	12	26	83	1.0	6	344.120.R100
12	12	26	83	1.5	6	344.120.R150
12	12	26	83	2.0	6	344.120.R200
12	12	26	83	2.5	6	344.120.R250
16	16	32	92	0.5	8	344.160.R050
16	16	32	92	1.0	8	344.160.R100
16	16	32	92	2.0	8	344.160.R200
20	20	38	104	2.0	8	344.200.R200



### INDEX 345...




D1	D2	L2	L1	ER	Z	Article-No.
6	6	18	62	0.5	6	345.060.R050
8	8	24	68	0.5	6	345.080.R050
8	8	24	68	1.0	6	345.080.R100
10	10	30	80	0.5	6	345.100.R050
10	10	30	80	1.0	6	345.100.R100
10	10	30	80	1.5	6	345.100.R150
12	12	36	93	0.5	6	345.120.R050
12	12	36	93	1.0	6	345.120.R100
12	12	36	93	1.5	6	345.120.R150
12	12	36	93	2.0	6	345.120.R200
16	16	48	93	0.5	8	345.160.R050
16	16	48	93	1.0	8	345.160.R100
16	16	48	93	1.5	8	345.160.R150
16	16	48	108	2.0	8	345.160.R200
20	20	60	126	2.0	8	345.200.R200





## Solid carbide mills


### INDEX 346...



D1	D2	R	L2	L1	Z	Article-No.
3	6	1.5	8	57	4	346.030.R150
4	6	2.0	10	57	4	346.040.R200
5	6	2.5	13	57	4	346.050.R250
6	6	3.0	13	57	4	346.060.R300
8	8	4.0	16	63	4	346.080.R400
10	10	5.0	22	72	4	346.100.R500
12	12	6.0	26	83	4	346.120.R600
14	14	7.0	26	83	4	346.140.R700
16	16	8.0	32	92	4	346.160.R800
20	20	10.0	38	104	4	346.200.R100



### INDEX 347...




D1	D2	R	L2	L1	Z	Article-No.
2	4	1.0	4	50	4	347.020.R100
2.5	4	1.25	5	50	4	347.025.R125
3	4	1.5	6	50	4	347.030.R150
4	4	2.0	8	50	4	347.040.R200
5	6	2.5	10	60	4	347.050.R250
6	6	3.0	12	60	4	347.060.R300
8	8	4.0	16	60	4	347.080.R400
10	10	5.0	20	60	4	347.100.R500
12	12	6.0	24	75	4	347.120.R600
16	16	8.0	32	100	4	347.160.R800



## Solid carbide mills


### INDEX 348...



D1	D2	R	L2	L1	Z	Article-No.
3	3	1.5	7	38	4	348.030.R150
4	4	2.0	14	50	4	348.040.R200
5	6	2.5	16	50	4	348.050.R250
6	6	3.0	19	60	4	348.060.R300
8	8	4.0	20	63	4	348.080.R400
10	10	5.0	21	70	4	348.100.R500
12	12	6.0	25	75	4	348.120.R600
16	16	8.0	32	88	4	348.160.R800
20	20	10.0	38	104	4	348.200.R100



### INDEX 358...




D1	D2	R	L2	L1	Z	Article-No.
3	3	1.5	20	75	4	358.030.R150
4	4	2.0	25	75	4	358.040.R200
5	5	2.5	25	75	4	358.050.R250
6	6	3.0	30	75	4	358.060.R300
6	6	3.0	45	100	4	358.060L.R300
8	8	4.0	45	100	4	358.080.R400
10	10	5.0	45	100	4	358.100.R500
12	12	6.0	45	100	4	358.120.R600
12	12	6.0	65	150	4	358.120L.R600
16	16	8.0	45	100	4	358.160.R800
16	16	8.0	65	150	4	358.160L.R800
20	20	10.0	45	100	4	358.200.R100
20	20	10.0	65	150	4	358.200L.R100





## Solid carbide mills


### INDEX 359...



D1	D2	R	L2	L1	Z	Article-No.
1	4	0.5	2	50	2	359.010.R050
1.5	4	0.75	3	50	2	359.015.R075
2	4	1.0	4	50	2	359.020.R100
2.5	4	1.25	5	50	2	359.025.R125
3	4	1.5	6	50	2	359.030.R150
4	4	2.0	8	50	2	359.040.R200
2	6	1.0	4	50	2	359.020D.R100
2.5	6	1.25	5	50	2	359.025D.R125
3	6	1.5	6	50	2	359.030D.R150
3.5	6	1.75	7	50	2	359.035D.R175
4	6	2.0	8	50	2	359.040D.R200
5	6	2.5	10	50	2	359.050.R250
6	6	3.0	12	50	2	359.060.R300
8	8	4.0	16	60	2	359.080.R400
10	10	5.0	20	75	2	359.100.R500
12	12	6.0	24	75	2	359.120.R600
16	16	8.0	32	100	2	359.160.R800



### INDEX 360...




D1	D2	R	L2	L1	Z	Article-No.
1	4	0.5	2	75	2	360.010.R050
2	4	1.0	4	75	2	360.020.R100
3	4	1.5	6	75	2	360.030.R150
4	4	2.0	8	75	2	360.040.R200
2	6	1.0	4	75	2	360.020D.R100
3	6	1.5	6	75	2	360.030D.R150
4	6	2.0	8	75	2	360.040D.R200
5	6	2.5	10	75	2	360.050.R250
6	6	3.0	12	75	2	360.060.R300
8	8	4.0	16	75	2	360.080.R400
8	8	4.0	16	100	2	360.080L.R400
10	10	5.0	20	100	2	360.100.R500
12	12	6.0	24	100	2	360.120.R600
16	16	8.0	32	150	2	360.160.R800



## Solid carbide mills


### INDEX 361...



D1	D2	L2	L1	Z	Article-No.
1	4	2.5	50	4	361.010.0000
1.5	4	3	50	4	361.015.0000
2	4	5	50	4	361.020.0000
3	4	7.5	50	4	361.030.0000
4	4	10	50	4	361.040.0000
6	6	15	50	4	361.060.0000
8	8	20	60	4	361.080.0000
10	10	25	75	4	361.100.0000
12	12	30	75	4	361.120.0000
16	16	45	100	4	361.160.0000
20	20	50	100	4	361.200.0000



### INDEX 362...



D1	D2	R	L2	L1	Z	Article-No.
4	4	0.5	10	50	4	362.040.R050
4	4	1.0	10	50	4	362.040.R100
6	6	0.5	15	50	4	362.060.R050
6	6	1.0	15	50	4	362.060.R100
8	8	0.5	20	60	4	362.080.R050
8	8	1.0	20	60	4	362.080.R100
10	10	0.5	25	75	4	362.100.R050
10	10	1.0	25	75	4	362.100.R100
12	12	0.5	30	75	4	362.120.R050
12	12	1.0	30	75	4	362.120.R100








## Solid carbide mills


### INDEX 363...






D1	D2	L2	L1	Z	Article-No.
1	4	3	50	3	363.010.0000
1.5	4	4	50	3	363.015.0000
2	4	6	50	3	363.020.0000
2.5	4	6	50	3	363.025.0000
3	4	9	50	3	363.030.0000
4	4	12	50	3	363.040.0000
5	6	15	50	3	363.050.0000
6	6	18	50	3	363.060.0000
8	8	24	60	3	363.080.0000
10	10	30	75	3	363.100.0000
12	12	36	75	3	363.120.0000
16	16	50	100	3	363.160.0000
20	20	50	100	3	363.200.0000



### INDEX 364...



D1	D2	R	L2	L1	Z	Article-No.
1	4	0.5	2	50	2	364.010.R050
1.5	4	0.75	3	50	2	364.015.R075
2	4	1.0	4	50	2	364.020.R100
2.5	4	1.25	5	50	2	364.025.R125
3	4	1.5	6	50	2	364.030.R150
3.5	4	1.75	7	50	2	364.035.R175
4	4	2.0	8	50	2	364.040.R200
5	6	2.5	10	50	2	364.050.R250
5.5	6	2.75	11	50	2	364.055.R275
6	6	3.0	12	60	2	364.060.R300
7	8	3.5	14	60	2	364.070.R350
8	8	4.0	16	60	2	364.080.R400
9	10	4.5	18	75	2	364.090.R450
10	10	5.0	20	75	2	364.100.R500
12	12	6.0	24	75	2	364.120.R600
16	16	8.0	32	100	2	364.160.R800






## Solid carbide mills


### INDEX 375...







D1	D2	L2	L1	Z	Article-No.
2	4	6	50	3	375.020.0000
3	4	9	50	3	375.030.0000
4	4	12	50	3	375.040.0000
2	6	6	50	3	375.020D.0000
3	6	9	50	3	375.030D.0000
4	6	12	50	3	375.040D.0000
5	6	15	50	3	375.050.0000
6	6	18	50	3	375.060.0000
8	8	24	60	3	375.080.0000
10	10	30	75	3	375.100.0000
12	12	36	75	3	375.120.0000
16	16	50	100	3	375.160.0000
20	20	50	100	3	375.200.0000



### INDEX 376...




D1	D2	L2	L1	Z	Article-No.
2	4	6	50	3	376.020.0000
3	4	9	50	3	376.030.0000
4	4	12	50	3	376.040.0000
5	6	15	50	3	376.050.0000
6	6	18	50	3	376.060.0000
8	8	24	60	3	376.080.0000
10	10	30	75	3	376.100.0000
12	12	36	75	3	376.120.0000
16	16	50	100	3	376.160.0000
20	20	55	100	3	376.200.0000






## Solid carbide mills


### INDEX 383...




D1	D2	L2	L1	D3	L3	Erth	ER	R	Z	Article-No.
4	6	1.5	57	3.4	20	0.4	0.32	6.0	2	383.040.ER032
5	6	2.0	57	4.2	20	0.5	0.4	7.5	2	383.050.ER040
6	6	2.5	57	5.0	25	0.6	0.5	9.0	2	383.060.ER050
8	8	3.0	63	6.7	25	0.8	0.65	12.0	2	383.080.ER065
10	10	4.0	72	8.5	35	1.0	0.8	15.0	2	383.100.ER080
12	12	5.0	83	10.0	40	1.2	1.0	18.0	2	383.120.ER100
16	16	6.0	92	13.5	45	1.6	1.3	24.0	2	383.160.ER130
20	20	8.0	104	17.0	55	2.0	1.65	30.0	2	383.200.ER165



### INDEX 384...




D1	D2	L2	L1	D3	L3	Erth	ER	R	Z	Article-No.
4	6	1.5	80	3.4	40	0.4	0.32	6.0	2	384.040.ER032
5	6	2.0	80	4.2	40	0.5	0.4	7.5	2	384.050.ER040
6	6	2.5	80	5.0	45	0.6	0.5	9.0	2	384.060.ER050
8	8	3.0	90	6.7	55	0.8	0.65	12.0	2	384.080.ER065
10	10	4.0	100	8.7	60	1.0	0.8	15.0	2	384.100.ER080
12	12	5.0	110	10.0	65	1.2	1.0	18.0	2	384.120.ER100
16	16	6.0	130	13.5	80	1.6	1.3	24.0	2	384.160.ER130
20	20	8.0	150	17.0	95	2.0	1.65	30.0	2	384.200.ER165




## Solid carbide mills


### INDEX 385...



D1	D2	L2	L1	D3	L3	Erth	ER	R	Z	Article-No.
4	6	1.5	57	3.4	20	0.4	0.32	6.0	4	385.040.ER032
5	6	2.0	57	4.2	20	0.5	0.4	7.5	4	385.050.ER040
6	6	2.5	57	5.0	25	0.6	0.5	9.0	4	385.060.ER050
8	8	3.0	63	6.7	25	0.8	0.65	12.0	4	385.080.ER065
10	10	4.0	72	8.7	35	1.0	0.8	15.0	4	385.100.ER080
12	12	5.0	83	10.0	40	1.2	1.0	18.0	4	385.120.ER100
16	16	6.0	92	13.5	45	1.6	1.3	24.0	4	385.160.ER130
20	20	8.0	104	17.0	55	2.0	1.65	30.0	4	385.200.ER165



### INDEX 386...



D1	D2	L2	L1	D3	L3	Erth	ER	R	Z	Article-No.
4	6	1.5	80	3.4	40	0.4	0.32	6.0	4	386.040.ER032
5	6	2.0	80	4.2	40	0.5	0.4	7.5	4	386.050.ER040
6	6	2.5	80	5.0	45	0.6	0.5	9.0	4	386.060.ER050
8	8	3.0	90	6.7	55	0.8	0.65	12.0	4	386.080.ER065
10	10	4.0	100	8.5	60	1.0	0.8	15.0	4	386.100.ER080
12	12	5.0	110	10.0	65	1.2	1.0	18.0	4	386.120.ER100
16	16	6.0	130	13.5	80	1.6	1.3	24.0	4	386.160.ER130
20	20	8.0	150	17.0	95	2.0	1.65	30.0	4	386.200.ER165

